



EBARA




Ishizue

FSA

EBARA END SUCTION VOLUTE PUMP

50 Hz

Features



High Working Pressure

Wider range application with flow capacity up to 22 m³/min. Higher working pressure up to 20 bar.



Stable Performance

Non-overload design to ensure stable performance for all applications.



Top Centreline Discharge

Foot support under casing for maximum resistance due to misalignment and distortions from pipe loads.



Easy Removal and Maintenance

BPO (Back Pull Out) system allows all rotating elements can be removed without disconnecting suction and discharge pipe work.

Application Fields



Water Supply



Water Circulation



Industrial Use

Specification

Liquid Handling

Clean Water, 0 - 80 C

Max. Working Pressure

Up to 20 Bar*

Design Standard

JIS B 8313

Flange

JIS 10K, JIS16K
JIS20K*

Bearing

Sealed Ball Bearing
Oil Bath System*

Shaft Seal

Mechanical Seal
Gland Packing



Casing

Cast Iron
Ductile Cast Iron*

Impeller


Bronze
Cast Iron*
Ductile Cast Iron*

Shaft


Stainless Steel

*Optional & Contact Us for more detail.


Model Code



Synchronous Speed: 3000min⁻¹




Synchronous Speed: 1500min⁻¹




Sectional View

General




G	O-Ring	Rubber	1
206	Plug	Steel	
111	Mechanical Seal	-	
107-2	Casing Ring	Bronze	
107-1	Casing Ring		
095	Bearing Support	Steel	
093	Deflector	Rubber	
056	Ball Bearing	-	2
053	Bearing Cover	Cast Iron	1
051	Bearing Housing		
050	Impeller Nut Washer	Brass	
048	Impeller Nut		
039-2	Coupling Key	Steel	
039-1	Impeller Key	Stainless-steel	
031	Shaft		
021	Impeller	Bronze	
011	Casing Cover	Cast Iron	
001	Casing		
No.	Part Name	Material	Qty

Mechanical Seal Type (Standard)



111-6	Cup Gasket	NBR	1
111-5	Matting Ring	Ceramic	
111-4	Seal Ring	Carbon	
111-3	Bellows	NBR	
111-2	Coil Spring	Stainless Steel	
111-1	Spring Holder		
No.	Part Name	Material	Qty

Gland Packing with Lantern Ring




119	Gland Packing	Carbonized fiber	4 or 5
110	Gland Bolt	Brass	2
091	Gland	Brass	1
085	Lantern Ring	Bronze	
No.	Part Name	Material	Qty

Pump Model:

50x40 FSHA; 65x50 FSHA, FSJA;
80x65 FSGA, FSHA;
100x80 FSGA; 125x100 FSLA;
150x100 FSKA, FSNA;

Gland Packing without Lantern Ring



119	Gland Packing	Carbonized fiber	4 or 5
110	Gland Bolt	Brass	2
091	Gland	Brass	1
No.	Part Name	Material	Qty

Pump Model:


80x65 FSJA, FSKA;
100x65 FSKA;
100x80 FSHA, FSJA, FSGA, FSHCA
125x100 FSJCA, FSKA;
150x125 FSHA, FSJA;
200x150 FSHA, FSKA.

Recommended Spare Part			
No.	Part Name	Expected Life (Year)	Qty/Unit
056	Ball Bearing	3	2
107	Casing Ring	2	2
111	Mechanical Seal	1	1
-	Coupling Rubber	2	1 Set


Recommended Spare Part			
No.	Part Name	Expected Life (Year)	Qty/Unit
056	Ball Bearing	3	2
107	Casing Ring	2	2
111	Gland Packing	1	1 Set
-	Coupling Rubber	2	1 Set

Dimension


Pump



Shaft



Flange



Flanges Dimensions (JIS10K RF)

D	f	e	g	t1	t	n	h
mm	mm	mm	mm	mm	mm	mm	mm
40	140	105	81	2	20	4	19
50	155	120	96	2	20	4	19
65	175	140	116	2	22	4	19
80	185	150	126	2	22	8	19
100	210	175	151	2	24	8	19
125	250	210	182	2	24	8	23
150	280	240	212	2	26	8	23
200	330	290	262	2	26	12	23

Flanges Dimensions (JIS16K RF)

D	f	e	g	t1	t	n	h
mm	mm	mm	mm	mm	mm	mm	mm
65	175	140	116	2	22	8	19
100	225	185	160	2	26	8	23
150	305	260	230	2	28	12	25
200	350	305	275	2	30	12	25
250	430	380	345	2	34	12	27

MODEL	SIZE		FLANGE	PUMP																SHAFT				Wt Kg
	φ1	φ2		A	B	C	D	E	F	G	J	M	N	O	P	R	X	Z	T	Q	U	V	W	
50x40 FSHA	50	40	JIS 10K	80	360	160	180	190	70	12	50	240	100	110	150	17	285	15	24	50	7	8	4	37
65x50 FSHA	65	50	JIS 10K	100	360	160	180	212	70	12	50	265	100	110	150	17	285	15	24	50	7	8	4	42
65x50 FSJA				100	360	180	225	250	95	14	65	320	125	110	150	17	285	15	24	50	7	8	4	49
80x65 FSGA	80	65	JIS 10K	100	360	160	180	212	70	12	50	265	100	110	150	17	285	15	24	50	7	8	4	39
80x65 FSHA				100	360	160	200	212	70	12	50	265	100	110	150	17	285	15	24	50	7	8	4	48
80x65 FSJA				100	350	180	225	250	95	14	65	320	125	110	150	17	285	15	32	80	8	10	5	60
80x65 FSKA				125	470	225	280	315	120	16	80	400	160	110	150	17	370	19	32	80	8	10	5	108
100x65 FSKA	100	65	JIS 16K	125	360	225	280	315	120	16	80	400	160	110	150	17	285	19	38	80	8	10	5	106
100x80 FSGA	100	80	JIS 10K	100	360	160	200	212	95	14	65	280	125	110	150	17	285	15	24	50	7	8	4	49
100x80 FSHA				100	360	180	225	250	95	15	65	320	125	110	150	17	285	15	32	80	8	10	5	62
100x80 FSJA				100	360	200	250	280	120	15	80	360	160	110	150	17	285	19	32	80	8	10	5	70
100x80 FSGCA				125	360	180	225	250	95	14	65	320	125	110	150	17	285	15	32	80	8	10	5	62
100x80 FSHCA	125	100	JIS 10K	125	360	180	250	280	95	14	65	345	125	110	150	17	285	15	32	80	8	10	5	65
125x100 FSJCA				140	360	225	280	315	120	16	80	400	160	110	150	17	285	19	38	80	8	10	5	108
125x100 FSKA				140	470	250	315	315	120	16	80	400	160	110	150	17	370	19	32	80	8	10	5	128
125x100 FSLA				140	530	280	355	400	150	20	100	500	200	110	150	17	370	24	42	110	8	12	5	168
150x100 FSKA	150	100	JIS 16K	140	530	250	315	315	120	16	80	400	160	90	120	15	373	19	42	95	8	12	5	146
150x100 FSNA				180	670	375	450	450	150	20	100	550	200	140	180	19	500	24	48	110	9	14	5.5	365
150x125 FSHA	150	125	JIS 10K	140	470	250	315	315	120	16	80	400	160	110	150	17	370	19	32	80	8	10	5	120
150x125 FSJA				140	470	250	355	315	120	16	80	400	160	110	150	17	370	19	32	80	8	10	5	128
150x125 FSKA				140	530	280	355	400	150	16	100	500	200	110	150	17	370	24	42	110	8	12	5	170
150x125 FSLA				140	530	315	400	400	150	20	100	500	200	110	150	17	370	24	42	110	8	12	5	205
200x150 FSHA	200	150	JIS 10K	160	470	280	355	400	150	18	100	500	200	110	150	17	370	24	32	80	8	10	5	137
200x150 FSJA				160	530	280	375	400	150	18	100	500	200	110	150	17	370	24	42	110	8	12	5	183
200x150 FSKA				160	670	315	400	450	150	20	100	550	200	140	180	19	500	24	48	110	9	14	5.5	222
200x150 FSLA	200	150	JIS 16K	162	670	315	450	450	150	20	100	550	200	140	180	19	500	24	48	110	9	14	5.5	336
200x150 FSNA				182	670	375	560	450	150	20	100	550	200	140	180	19	500	24	60	110	11	18	7	488
250x200 FSLA	250	200	JIS 16K	180	670	385	560	560	250	25	100	660	315	140	180	19	500	24	60	110	11	18	7	505
250x200 FSNA				200	820	435	630	560	250	25	100	660	315	160	200	19	630	27	74	125	12	20	8	642

- The Dimension Changed without any prior notification.
- Please ask the manufacture for update dimension.

(Unit : mm, unless otherwise stated)